

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)



**SECOND CALL OF E-TENDER FOR TERM CONTRACT**

**NAME OF WORK - M.O. & M. Civil works in Departments**

**AUGUST – 2024**

**N.I.T. No. R/EE/IWD/2024/178**

|                                                                            |                           |
|----------------------------------------------------------------------------|---------------------------|
| Date of release of tender                                                  | 13.08.2024                |
| Last date & time of submission of bid                                      | 20.08.2024 up to 03.00 PM |
| Last date of submission of original EMD through Speed Post/Registered Post | 27.08.2024                |
| Date & time of opening of tender (Technical Bid)                           | 28.08.2024 at 03.30 PM    |
| Date & time of opening of Financial Bid                                    | Will be informed later    |

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**INDEX**

**NAME OF WORK: M.O. & M. Civil works in Departments**

| <b>Sl. No.</b> | <b>Description</b>                                                   | <b>Page No.</b>            |
|----------------|----------------------------------------------------------------------|----------------------------|
| 1.             | General Instructions to the contractors who are submitting e-tenders | 1 to 4, 6 to 31 & 35 to 37 |
| 2.             | Press Notice                                                         | 5                          |
| 3.             | Technical Bid                                                        | 32 to 34                   |
| 4.             | Schedule of Items                                                    | 38 to 47                   |
| 5.             | List of Approved Material                                            | 48 to 50                   |
| 6.             | Instruction For Online Bid Submission                                | 51 to 52                   |
| 7.             | Integrity Pact                                                       | 53 to 58                   |

This NIT contains Fifty Eight pages only.

**REGISTRAR**

Dr. Harisingh Gour Vishwavidyalaya  
Sagar (M.P.)

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**NOTICE INVITING e- TENDER (N.I.T.)**

Ref. No.: R/EE/IWD/2024/

Sagar, Dated

On behalf of Dr. Harisingh Gour Vishwavidyalaya, Sagar online percentage tenders are invited from the appropriate/eligible class of contractors registered with CPWD, MES, Railway and other central PSU's as well as the Contractors empanelled in the Dr. Harisingh Gour Vishwavidyalaya, Sagar in the appropriate/eligible class only by 20.08.2024 up to 3.00 PM. The details of said work as below:

| S. No. | NIT No. | Name of Work and location                                                                                    | Estimated Cost put to tender (Rs. In Lakhs) | Earnest Money (In Rs.) | Period of Completion | Last date and time of submission of bid | Time and Date of opening of tender |
|--------|---------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------------|----------------------|-----------------------------------------|------------------------------------|
| 1      | 177     | Construction of Platform for open Gym in Girls Hostel, Boys Hostel and Play Ground (in front of C – 54 qtr). | 19.14 Lakhs                                 | 38,280.00              | 03 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 2      | 178     | M.O. & M. Civil works in Departments                                                                         | 29.50 Lakhs                                 | 59,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 3      | 179     | M.O. & M. Civil works in C-Type Quarters                                                                     | 29.50 Lakhs                                 | 59,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 4      | 180     | M.O. & M. Civil works in B-Type and others.                                                                  | 29.50 Lakhs                                 | 59,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 5      | 181     | Water Proofing work in Departments                                                                           | 29.50 Lakhs                                 | 59,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 6      | 182     | M.O. & M. Civil works in Hostels                                                                             | 25.00 Lakhs                                 | 50,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 7      | 183     | Original Aluminum work and Maintenance of Existing Aluminum work                                             | 20.00 Lakhs                                 | 40,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |
| 8      | 184     | Internal Electrical M.O. & M. work of Residential Buildings                                                  | 20.00 Lakhs                                 | 40,000.00              | 12 Months            | 20.08.2024 up to 3.00 PM                | 28.08.2024 at 03.30 PM             |

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

|    |     |                                                                           |             |           |           |                                |                              |
|----|-----|---------------------------------------------------------------------------|-------------|-----------|-----------|--------------------------------|------------------------------|
| 9  | 185 | Internal Electrical<br>M.O. & M. work of<br>Non Residential<br>Buildings  | 20.00 Lakhs | 40,000.00 | 12 Months | 20.08.2024<br>up to 3.00<br>PM | 28.08.2024<br>at 03.30<br>PM |
| 10 | 186 | Internal Electrical<br>M.O. & M. work of<br>Hostels Buildings &<br>Others | 10.00 Lakhs | 20,000.00 | 12 Months | 20.08.2024<br>up to 3.00<br>PM | 28.08.2024<br>at 03.30<br>PM |

The Bid Forms, tender document, eligibility criteria and other details can be downloaded from the University website: [www.dhgsu.edu.in](http://www.dhgsu.edu.in) and CPPP Portal: <http://eprocure.gov.in>.

**Registrar**

Dr. Harisingh GourVishwavidyalaya,  
Sagar (M.P.)

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)



**डॉक्टर हरीसिंह गौर विश्वविद्यालय, सागर (म.प्र.)**  
(केन्द्रीय विश्वविद्यालय)

NIT No. R/EE/IWD/2024/177 to 186

सागर, दिनांक 13.08.2024

**निविदा आमंत्रण सूचना (NIT)**

डॉक्टर हरीसिंह गौर विश्वविद्यालय, सागर (म.प्र.) द्वारा Civil/Electrical Repair & Renovation कार्य हेतु दरों के अनुबंध के लिए Percentage Rate निविदा क्रमांक 177 से 186 केवल e-tendering के माध्यम से आमंत्रित की जाती है। विस्तृत शर्तें एवं निविदा प्रपत्र विश्वविद्यालय की वेबसाइट [www.dhsgsu.edu.in](http://www.dhsgsu.edu.in) & <https://eprocure.gov.in> पर देखी एवं डाउनलोड की जा सकती है।

कुलसचिव (प्र.)

# **Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**

## **(A Central University)**

### **GENERAL INSTRUCTIONS TO THE CONTRACTORS WHO ARE SUBMITTING TENDER**

1. The tenderers should read all the instructions, terms & conditions, contract clauses, nomenclature of items, specifications etc. contained in the tender documents very carefully before quoting the rates.  
  
The contract shall be drawn as per General Conditions of Contract for CPWD works 2020 with corrections issued up to date with due modifications to suite to the University. This document is available as a priced publication in the market.
2. Contractors shall fill the tenders properly and carefully. They should avoid quoting absurd rates and making too many corrections in tenders. The rates should also be quoted in figures as well as in words otherwise the tender will be treated as rejected.
3. In the percentage rate tender, the contractors are required to quote their rates both in amount as well as in the percentage below/above the rates entered in the schedule specified.
4. Contractors shall quote their rates/percentage only on the tender documents/schedule issued by the University.
5. The Contractors shall quote the rates keeping in mind the specifications terms & conditions and special conditions etc. and nothing shall be payable extra whatsoever unless otherwise specified.
6. The contractor submitting the tender should read the schedule of quantities, additional conditions, additional specifications, particular specification and other terms and conditions given in the NIT and drawings. The tenderer should also read the General conditions of contract for CPWD works 2020 which is available as Govt. of India publications. However provisions included in the tender document shall prevail over the provisions contained in the standard form. The contractor should also visit the site of work and acquaint himself with the site conditions before tendering.
7. Tenders with any condition including that of conditional rebates shall be rejected forthwith. Rates of such tenders shall neither be read out nor entered in tender opening register at the time of opening of tenders.
8. The GST and other statutory deductions shall be applicable as per the prevailing law of land and as per the rule as applicable in CPWD.
9. The tender, which is not duly signed by authorized signatory or is conditional shall be treated as non-responsive and shall be summarily rejected.
10. In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with the tender and it

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

must be disclosed that the firm is duly registered under the Indian Partnership Act 1952.

- 12 Further to save upon any loss in this regard to progress the work, University may deploy any other agency of equivalent competence to take up the work at the same rate with agreed and approved terms and conditions as applied in your case.
13. Dr. Harisingh Gour Vishwavidyalaya reserves the right to reject any or all the tenders at their discretion without assigning any reason thereof.
14. The GST and other statutory deductions shall be applicable as per the prevailing law of land and as per the rule as applicable in CPWD. **The contractor shall deposit royalty and obtain necessary permit for supply of the red Bajri, stone, kankar etc from the local authority.**
15. The tender submitted shall become invalid if the Tenderer is found ineligible.
16. The bid forms, tender document, eligibility criteria and other details can be seen and downloaded from the University website [www.dhsgsu.edu.in](http://www.dhsgsu.edu.in) & [CPP Portal](#) also
17. The bidder should not have incurred any loss in more than two years during available last five consecutive balance sheets, duly certified and audited by the Chartered Accountant.
18. यह निविदा मात्र वार्षिक रेट कांटेक्ट हेतु है निविदा में दर्शायी गयी राशि गत वर्ष के करवाये गये कार्यों पर आधारित एक अनुमानित संभावना मात्र है। विश्वविद्यालय में कार्यों की आवश्यकता प्रतिपादित होने पर ही पृथक-पृथक स्वीकृतियों के अनुसार ही कार्य आदेश जारी किये जायेंगे अन्यथा की स्थिति में कार्य आदेश जारी नहीं होंगे। निविदाकार को उपरोक्तानुसार पृथक-पृथक पी.जी. जमा करनी होगी।
19. **The ESI and EPF contributions on the part of employer in respect of this contract shall be paid by the contractor. These contributions on the part of the employer paid by the contractor shall be reimbursed by the Engineer-in-charge to the contractor on actual basis.**
20. निविदाकारों को ESI एवं EPF का पंजीयन करवाना अनिवार्य है।
21. **In account of GST no extra payment will be made by the university.**
22. **Prevailing cost index as enforced as on date in CPWD will be applicable.**
23. **In case of any discrepancy in Hindi & English version, English Version shall prevail.**
24. Technical Bid for eligibility criteria of all tenders shall be opened first. Eligibility related documents shall be evaluated and parties qualified/ disqualified by the competent authority would be notified on CPP Portal and subsequent Financial bid of technically qualified bidder shall then be opened and notified later.
25. Tenders received after due date & time shall not be considered.
26. Tender form and other conditions of the contract can be seen and downloaded from the University website

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

[www.dhsgsu.edu.in](http://www.dhsgsu.edu.in) and CPP Portal & Bid document must be submitted only on CPP Portal within the stipulated time.

27. Rate filled at any other place in the tender document will not be considered. **Rate will be considered only in excel sheet format.** No condition will be accepted.

**REGISTRAR**

Dr. Harisingh Gour Vishwavidyalaya,  
Sagar (M.P.)

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

### **TECHNICAL BID DOCUMENT**

The enlistment of the contractors should be valid on the last date of download of tenders. In case only the last date of download of tender is extended, the enlistment of contractor should be valid on the original date of download of tender. In case both the last date of receipt of application and download of tenders are extended, the enlistment of contractor should be valid on either of the two date's i.e. original date of download of tender or on the extended date of sale of tenders.

**Eligibility Criteria for Technical Bid:** Contractors other than eligible/empanelled contractors of Vishwavidyalaya and CPWD (i.e. MES, Railway & other Central PSU's) must furnish the definite proof from the appropriate authority of having satisfactorily completed three similar works of value 40% or two similar works of value 60% or one similar work the value 80% of estimated cost during last five years, the tenderer should also submit the copy of registration, PAN, GST, Experience detail along with the necessary certificates as mentioned in the tender documents form A, B, C, D, E, EMD, Bank Solvency Certificate, last 5 year turnover certificate etc. and other details as mentioned in the tender document.

- a. The intending bidder must read the terms and conditions of tender document carefully. He should only submit his bid if he considers himself eligible and is in possession of all the documents required.
- b. Information and Instructions for bidders posted on website shall form part of bid document.
- c. The bid document consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website [www.dhsgsu.edu.in](http://www.dhsgsu.edu.in) and [cpp portal](#)
- d. Original EMD in the form of DD/ FDR (or through NEFT/RTGS) should be sent through Speed Post/Registered Post only within 07 days from the last date of bid submission on the address of "Registrar, Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.) – 470003" in an envelope, duly super scribed as EMD.

**REGISTRAR**

Dr. Harisingh Gour  
Vishwavidyalaya Sagar (M.P.)

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

## NOTICE INVITING e-TENDER (NIT No. R/EE/IWD/2024/178)

- 1 Percentage rate tenders are invited on behalf of the **Dr. Harisingh Gour Vishwavidyalaya, Sagar** from approved and eligible contractors for the work of **M.O. & M. Civil works in Departments.**
  - 1.1 The work is estimated to cost **Rs. 29,50,000/-** This estimate, however, is given merely as a rough guide.
    - 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the tenders. He will also nominate division to deal with all matters relating to the invitation of tenders.

For composite tender, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of each component separately. The eligibility of tenderer will correspond to the combined estimated cost of different components put to tender.
  - 1.2 The tenders will be issued to only eligible contractors to the entire satisfaction of the competent authority.
- 2 **Agreement shall be drawn with the successful tenderer on prescribed CPWD Form No. 7/8, which is available as a Govt. of India Publication. Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.**
- 3 The validity of the contract will be up to **12 months** and same may be further extended for a maximum period of six months on the same terms and conditions from the date of start as defined in schedule 'F' or from the first date of handing over the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 4 The site for the work is available.
- 5 Tender form and other conditions of the contract can be seen and downloaded from the University website [www.dhsgsu.edu.in](http://www.dhsgsu.edu.in).

The necessary documents can be seen in the office of the **IWD** between hours of 11.00 A.M. & 04.00 P.M. from 13.08.2024 to 20.08.2024, every day except on Saturday, Sundays and Public Holidays.
- 6 The finally selected agency will furnish the performance guarantee for a sum equivalent to 5% (Five Percent) of the individual work order amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case the guarantee amount is less than Rs. 10,000/-) or Deposit at call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank.
- 7 The description of the work is as follows **M.O. & M. Civil works in Departments.** Copies of other drawings and documents pertaining to the works will be opened for inspection to tenderers at the office of the **IWD, Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**. Tenderers are advised to inspect and examine the site and its surroundings to satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

consequent upon any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the University and local conditions and other factors having a bearing on the execution of the work.

8. The University does not bind itself to accept the lowest or any other tender and reserves the authority to reject any or all of the tenders received without assigning any reason. All tenders in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
9. Canvassing whether directly or indirectly in connection with tenders is strictly prohibited and the tenderer submitted by the contractors who resort to canvassing will be liable to rejection.
10. The University reserves to itself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
11. The contractor shall not be permitted to tender for works in the University if his any near relative is posted as an officer in any capacity between the grades of University Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any officer in the University. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this University.
12. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India/ State Govt./University is allowed to work as a contractor for a period of two years after his retirement from Government service, without the prior written permission of the Government of India/State Govt./University. Such contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.
13. The tender for the works shall remain open for acceptance for a period of Ninety days from the date of opening of financial bid. If any tenderer withdraws his tender before said period or issue of letter of acceptance whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of work.
14. This Notice Inviting e-Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the accepting authority, shall **within 07 days** from the stipulated date of start of the work, sign the contract consisting of: -
  - a) The notice inviting e-tender, all the documents including additional conditions specifications and drawings if any, forming part of the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
  - b) The contract shall be drawn as per General Conditions of Contract for CPWD works 2020 with corrections issued up to date with due modifications to suite to the University. This document is available as a priced

# **Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**

## **(A Central University)**

publication in the market and University web-site.

- c) As and when it is required to take up/execute a set of work /jobs, the same shall be assigned to one of the short listed agencies starting from original L1 on a work order slip. In the best interest of the University subsequent work may be assigned to the different agencies among L2, L3, L4 and L5 etc, on the accepted rate of lowest tenderer as per the CPWD work manual/ procedure. The contractor will raise the bill for work done & payment shall be made accordingly.
- 16. It will be obligatory on the part of the tenderer to sign the tender documents for all the components (The schedule of quantities, conditions and special conditions etc.).
- 16.1 After the work is awarded, the contractor will have to enter into agreement
- 16.2 A recovery of 1% (One percent) of total of the work done shall be made from the bill of the contractor on account of worker welfare cess Act of 1996.

**REGISTRAR**  
Dr. Harisingh Gour Vishwavidyalaya,  
Sagar (M.P.)

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

नियम एवं शर्तें :-

1. कार्य से संबंधित विस्तृत स्पेसीफिकेशन, लोक निर्माण विभाग/केन्द्रीय लोक निर्माण विभाग के प्रभावशील होंगे ।
2. एकल अथवा समस्त निविदाएँ बिना कारण बताये निरस्त करने का अधिकार विश्वविद्यालय के पास सुरक्षित रहेगा, एवं उचित कारणों से न्यूनतम निविदा दर के अलावा भी निविदा विश्वविद्यालय द्वारा स्वीकृत किये जा सकेंगे ।
3. प्राप्त निविदा की वैधता निविदा प्राप्त होने की अंतिम तिथि से 90 दिनों तक रहेगी ।
4. दरें समस्त टैक्सों सहित होंगी, एवं किसी भी प्रकार का अतिरिक्त भुगतान नहीं होगा ।
5. समस्त टैक्स इत्यादि की कटौती शासन के नियमानुसार की जावेगी ।
6. कार्य का भुगतान किये गये कार्य के वास्तविक माप के आधार पर होगा ।
7. कार्य का भुगतान कार्य पूर्ण होने के उपरांत एवं कार्य के प्रभारी का कार्य से संतुष्ट होने के उपरांत होगा ।
8. कोई भी निरस्त सामग्री अथवा कार्य, ठेकेदार को स्वयं के खर्चे पर कार्य स्थल से हटाना होगा ।
9. निविदा खोले जाते समय ठेकेदार अथवा उनके प्रतिनिधि उपस्थित हा सकते हैं ।
10. कार्य से संबंधित विस्तृत डिजाइन, ड्राइंग, स्पेसीफिकेशन, भवन निर्माण विभाग द्वारा प्रदान किये जायेंगे
11. आवश्यकता होने पर प्रयोग होने वाली सामग्रियों की वांछित टेस्ट रिपोर्ट ठेकेदार को स्वयं के खर्चे पर प्रस्तुत करना होगी ।
12. आवश्यकता होने पर उचित कारणों से निर्माण कार्य अवधि में समय वृद्धि कार्यपालन यंत्री द्वारा की जा सकेगी यदि उक्त समय वृद्धि सीमा में भी कार्य पूर्ण न होने की स्थिति में 0.5 प्रतिशत प्रति सप्ताह की दर से दण्ड आरोपित किया जायेगा, जो कि अधिकतम, अनुबंधित राशि के 5 प्रतिशत तक सीमित होगा ।
13. निर्माण कार्य गुणवत्ता के अनुरूप न पाये जाने पर, जबकि वह निरस्त करना आवश्यक न हो दरों में उचित प्रकार से कटौती करके भुगतान किया जा सकेगा ।
14. कार्य के भुगतान से 5 प्रतिशत राशि सुरक्षा निधि के रूप में काटी जावेगी, एवं जमा अर्नेस्ट मनी राशि, इस 5 प्रतिशत राशि में समाहित होगी ।
15. कार्य अधूरा छोड़ने पर, कार्य किसी अन्य एजेंसी से, संबंधित ठेकेदार की रिस्क एण्ड कास्ट पर पूर्ण करवाया जा सकेगा
16. निर्माण कार्य अवधि की गणना **Schedule 'F'** के अनुसार की जावेगी ।
18. किसी भी प्रकार का अग्रिम भुगतान नहीं होगा ।
19. आवश्यकता होने पर दी गई आवश्यकता होने पर न्यूनतम निविदाकार की राशि में 60 प्रतिशत तक कमी या वृद्धि की जा सकेगी, जिसके लिये ठेकेदार का किसी भी प्रकार का क्लेम मान्य नहीं होगा ।

## Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

20. यदि ऐसे निर्माण कार्य के लिये जहां लोक निर्माण विभाग अथवा केन्द्रीय लोक निर्माण विभाग में स्पेसीफिकेशन/ नियम विनिर्दिष्ट नहीं है, वह कार्य प्रभारी इंजीनियर के द्वारा प्रदत्त निर्देशानुसार करना होगा ।
21. कार्य का अंतिम भुगतान होने के एक वर्ष के भीतर देयक के पोस्ट अंकेक्षण/पोस्ट तकनीकी परीक्षण में यदि कार्य के किसी मद में अधिक राशि के भुगतान का होना पाया जाता है तो अधिक भुगतान की वह राशि संबंधित ठेकेदार से वसूली योग्य होगी, अथवा संबंधित ठेकेदार को कार्य के किसी मद में कम भुगतान हुआ है तो ठेकेदार उचित भुगतान पाने का अधिकारी होगा ।
22. यदि किसी कारणवश विश्वविद्यालय कार्य स्थल उपलब्ध कराने में असमर्थ रहता है, अथवा किसी अपरिहार्य कारणों से निर्माण कार्य के दौरान निर्माण कार्य में अवरोध उत्पन्न होता है, जो कि कार्य बंद होने से 60 दिनों की अवधि तक पुनः प्रारंभ नहीं कराया जा सकता तब संबंधित ठेकेदार की इच्छानुसार कार्य का अनुबंध उसी स्थिति में समाप्त किया जा सकेगा, एवं किये जा चुके कार्य का भुगतान ठेकेदार को किया जायेगा ।
23. विभिन्न कार्य मदों के संपूर्ण लागत मूल्य में न्यून होने के आधार पर न्यूनतम मूल्य की गणना की जावेगी
24. आवश्यकता होने पर संस्था हित में निर्माण कार्य के दौरान डिजाइन, ड्राइंग म आवश्यक परिवर्तन प्रभारी यंत्री द्वारा किया जा सकेगा ।
25. कार्य की विभिन्न मदों को कुल लागत मूल्य का योग अंकों एवं शब्दों में स्पष्ट रूप से लिखा जायें, दरों में काटा-पीटी अथवा पुर्नलेखन किये जाने पर ठेकेदार के द्वारा वह दर प्रतिहस्ताक्षरित की जावें ।
26. एक कार्य के लिये ठेकेदार के द्वारा एक ही निविदा दी जा सकेगी ।
27. ठेकेदार के द्वारा निर्माण कार्य में संलग्न मजदूरों को शासन द्वारा घोषित उचित न्यूनतम वेतन दरों से भुगतान किया जावेगा, एवं मजदूरों के हित में शासन द्वारा घोषित नियमों का पालन ठेकेदार के द्वारा किया जायेगा ।
28. कार्य सबलेट नहीं किया जा सकेगा ।
30. यदि निर्माण कार्य के दौरान निर्माण से संबंधित अन्य कोई आइटम करवाया जाना आवश्यक होता है, एवं जिसकी दर निविदा में मंजूर नहीं है तब ऐसे आइटम को ठेकेदार को करना होगा, एवं ऐसे कार्य की दर का निर्धारण कार्यपालन यंत्री द्वारा दर विश्लेषण के आधार पर किया जावेगा ।
31. आवश्यकता होने पर चलित देयक का भुगतान किया जावेगा ।
32. यदि न्यूनतम निविदाकार अपनी दरें वापिस लेता है तब सुरक्षा निधि की राशि राजसात की जावेगी, एवं उन्हें संबंधित कार्य के लिये पुनः निविदा देने का अधिकार नहीं होगा ।
33. यदि अपरिहार्य कारणों से निविदा खोले जाने की घोषित तिथि पर निविदा नहीं खोले जाते हैं तब निविदा खोले जाने की सूचना अलग से प्रदान की जायेगी ।
34. General Condition of contract for C.P.W.D. shall be applicable.
35. The Contractor shall submit an irrevocable Performance Guarantee for a sum equivalent to 3% (Three Percent) of the individual work order amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement. The performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 days beyond that. After the work is awarded, the contractor will have to enter into agreement.

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

36- जब बिल भुगतान के लिए देय होता है, ठेकेदार शुरू में प्रारूप कम्प्यूटरीकृत पैमाइश शीटों को प्रस्तुत करेगा और इन पैमाइश शीटों का भारसाधक इंजीनियर और अथवा उसके प्राधिकृत प्रतिनिधि से निरीक्षण/टेस्ट जांच कराया जाएगा। इसके बाद ठेकेदार इन जांच/परीक्षण जांच के दौरान किए जाने वाले ऐसे परिवर्तनों को अपनी कम्प्यूटरीकृत शीटों के प्रारूप में समाविष्ट करेगा और विधिवत् जिल्द बन्द, मशीनी नम्बरों के पृष्ठों वाली कम्प्यूटरीकृत मूल्यांकन पुस्तक विभाग को प्रस्तुत करेगा।

37. किसी भी प्रकार के विवाद की स्थिति में कुलपति का निर्णय अंतिम एवं उभयपक्षों को बंधनकारी होगा।

**REGISTRAR**  
Dr. Harisingh Gour Vishwavidyalaya,  
Sagar (M.P.)

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.) (A Central University)

## QUALIFICATION INFORMATION

### LETTER OF TRANSMITTAL

To,

**The Registrar  
Dr. Harisingh Gour Vishwavidyalaya,  
Sagar (M.P.)-470003**

**Sub:- M.O. & M. Civil works in Departments.**  
Sir,

Having examined the details given in notice inviting qualification application and tender and the qualification documents for the above work, I/ We here by submit the qualification application documents (Eligibility Criteria) and the tender(financial bid) for the work duly filled.

1. I / We here by certify that all the statement made and information supplied in the enclosed forms and accompanying statements are true and correct.
2. I / We have furnished all information and details necessary for deciding our eligibility to be qualified for taking part in the tendering process for the work. We have no further information to supply.
3. I / We submit the requisite solvency certificate and authorize the Registrar Dr. Harisingh Gour Vishwavidyalaya Sagar or His representative to approach the bank concerned to confirm the correctness of the certificate. I / We also authorize the Registrar to approach individuals, firms and corporations to verify our competence and general reputation.
4. I / We submit the following certificates in support of our suitability, technical knowhow and capability for having successfully completed following works.

**Name of work**

**Certificate form**

I am / We are aware that the tender documents (Financial bid) will not be opened if I am / We are not qualified to take part in the tendering process.

Seal of the Applicant

Date of submission

Signature(s) of the Applicants

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

## ACCEPTANCE

The above tender is accepted by me for and on behalf of The Dr Harisingh Gour Vishwavidyalaya, Sagar M.P @ DSR 2023 % above /below/at par of estimated cost for Civil work.

The letters referred below shall form part of this contract Agreement:-

- a)
- b)
- c)

REGISTRAR  
FOR AND ON BEHALF OF THE  
DR. HARISINGH GOUR  
VISHWAVIDYALAYA SAGAR (M.P.)

Signature

Designation

Dated

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

## CORRIGENDUM

| S. No. | FOR                     | READ                                                                    |
|--------|-------------------------|-------------------------------------------------------------------------|
| 1.     | Govt. of India          | DR. HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.)                      |
| 2.     | President of India      | DR. HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.)                      |
| 3.     | Director General Works  | KULPATI<br>DR HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.)            |
| 4.     | CPWD (Department)       | IWD<br>DR HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.)                |
| 5.     | Chief Engineer          | B.W.C.<br>DR HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.)             |
| 6.     | Superintending Engineer | T.S.C.<br>DR HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.)             |
| 7.     | Executive Engineer      | EXECUTIVE ENGINEER<br>DR HARISINGH GOUR VISHWAVIDYALAYA<br>SAGAR (M.P.) |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

## SCHEDULES

### **SCHEDULE 'A'**

Schedule of Items (Enclosed):

### **SCHEDULE 'B'**

Schedule of materials to be issued to the contractor.

| S. No. | Description of item | Quantity | Rates in figures & words at which the material will be charged to the contractor | Place of issue |
|--------|---------------------|----------|----------------------------------------------------------------------------------|----------------|
| 1      | 2                   | 3        | 4                                                                                | 5              |

-----NIL-----

### **SCHEDULE 'C'**

**Tool and plants to be hired to the contractor**

| S. No. | Description | Hire charges per day | Place of issue |
|--------|-------------|----------------------|----------------|
| 1      | 2           | 3                    | 4              |

-----NIL-----

### **SCHEDULE 'D'**

Extra schedule for specific requirements/documents for the work, if any. –

-----NIL-----

### **SCHEDULE 'E'**

Schedule of component of Cement, Steel, Other Materials, Labour etc. for price escalation.

**N.A.**

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

### SCHEDULE 'F'

#### Reference to General Conditions of Contract:-

**Name of work :- M.O. & M. Civil works in Departments.**

|                                |                               |
|--------------------------------|-------------------------------|
| Estimated Cost of work: -      | <b>Rs. 29,50,000/-</b>        |
| <b>Earnest Money Deposit -</b> | 2 % of Estimated Cost of work |
| Performance Guarantee:-        | 3% of work order value.       |
| Security Deposit:              | 5% of work order value.       |

#### GENERAL RULES & DIRECTIONS

#### Officer inviting tender

#### Registrar

**Dr. Harisingh Gour Vishwavidyalaya Sagar (M.P.)**

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3

See below

#### Definition:

|                                                                                    |                                                                                                                                          |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 2(i) Engineer-in-Charge                                                            | <b>Executive Engineer I.W.D.<br/>Dr. Harisingh Gour Vishwavidyalaya Sagar (M.P.)</b>                                                     |
| 2(viii) Accepting Authority                                                        | <b>Kulpati<br/>Dr. Harisingh Gour Vishwavidyalaya Sagar (M.P.)</b>                                                                       |
| 2(x) Percentage on cost of material and labour to cover all overheads and profits. | 15%                                                                                                                                      |
| 2(xi) Standard Schedule of Rates                                                   | <b>DSR 2023 as amended up to date for Civil work</b>                                                                                     |
| 2(xii) Department                                                                  | <b>IWD, Dr. Harisingh Gour Vishwavidyalaya Sagar (M.P.)</b>                                                                              |
| Standard CPWD contract Form                                                        | CPWD form 7/8 (Print edition 2007) corrected up to the date and due modifications to suit the University till date of receipt of tender. |

#### Clause 1

- |                                                                                                         |               |
|---------------------------------------------------------------------------------------------------------|---------------|
| i) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance. | <b>7 days</b> |
| ii) Maximum allowable extension beyond the period as provided In i) above.                              | <b>N.A.</b>   |

**Clause 2** Authority for fixing compensation Under clause 2

**BC or any other person/ committee authorized to**

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

- Clause 2 A** Whether clause 2A shall be applicable **do so**  
**Clause 5** - **No**
- (i) Number of days from the date of issue of letter of acceptance for Reckoning date of start. 06 days or as decided by engineer in-charge
- Miles Stones : As per table given below :

**TABLE OF MILE STONES (S)**

| S. No. | Description of Milestone (Physical) | Time Allowed in days (from date of start) | Amount to be with-held in case of non achievement of milestone. |
|--------|-------------------------------------|-------------------------------------------|-----------------------------------------------------------------|
| Nil    | Nil                                 | Nil                                       | Nil                                                             |

- ii) Time allowed for execution of work **as per the relevant work order**
- iii) Authority to give fair and reasonable extension of time for completion of work EE/Registrar/committee authorized to do so

### **Clause 6, 6A**

Clause applicable – (6 or 6A). Clause-6

### **Clause 7**

Gross work to be done together with net payment/ adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment. Not below Rs 50000 or as decided by The University authority

### **Clause 10 A**

**List of testing equipment, tools to be provided by the contractor at site lab. as and when required as per norms**

- |         |         |
|---------|---------|
| 1. .... | 2. .... |
| 3. .... | 4. .... |

### **Clause 10 CC**

Clause 10CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column 12 months

### **Clause 11**

Specifications to be followed for execution of work CPWD General Specification 2023 with up to date correction slips.

### **Clause 12**

12.2 & 12.3 Deviation Limit beyond which Clauses 12.2 & 12.3 shall apply for Building work \_\_\_\_\_ **30%** \_\_\_\_\_

12.5 Deviation Limit beyond which Clauses 12.2 & 12.3 shall apply for Foundation work \_\_\_\_\_ **100%** \_\_\_\_\_

### **Clause 16**

Competent Authority for **Engineer In charge**

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

deciding reduced rates.

or equivalent officer in charge of work.

### Clause 18

**List of mandatory machinery, tools & plants to be deployed by the contractor at site.**  
as and when required as per norms) As per the requirement of work.

- |                 |                 |
|-----------------|-----------------|
| 1. ....Nil..... | 2. ....Nil..... |
| 3. ....Nil..... | 4. ....Nil..... |

### Clause 36 (i)

#### Requirement of Technical Representative(s) and Recovery Rate

| Sl. No. | Minimum Qualification for principal of Technical Representative & No. required. |                                                           | Minimum Experience                  |                              | Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i) |                  |
|---------|---------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------|------------------|
|         | (I) More than Rs. 10 Lac (Graduate or retired AE possessing) No.                | (II) More than Rs. 5 Lac (Recognized Diploma holder). No. | (Graduate or retired AE possessing) | (Recognized Diploma holder). | Graduate or retired AE possessing                                                                                 | (Diploma holder) |
| 1.      | One                                                                             | One                                                       | -----                               | 3 Years                      | 15000/-                                                                                                           | 10000/-          |

Assistant Engineers retired from Government services those are holding Diploma will be treated As pert with graduate Engineers.

### Clause 42

- i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates **2021** printed by CPWD.
- ii) Variations permissible on theoretical quantities.
  - a) Cement for works with estimated cost put to tender not more than Rs.. for works with estimate cost put to tender more than Rs..
 

|  |                 |
|--|-----------------|
|  | 3% plus / minus |
|  | 2% Plus/Minus   |
  - b) Bitumen for all works.
 

|  |                                     |
|--|-------------------------------------|
|  | 2.5% plus only & nil on minus side. |
|--|-------------------------------------|
  - c) Steel Reinforcement and structural steel sections for each diameter, section and category.
 

|  |                 |
|--|-----------------|
|  | 2% plus / minus |
|--|-----------------|
  - d) All other materials.
 

|  |     |
|--|-----|
|  | NIL |
|--|-----|

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION**

| Sl. No. | Description of item                      | Rates in figures and words at which shall recovery be made from the Contractor |                                           |
|---------|------------------------------------------|--------------------------------------------------------------------------------|-------------------------------------------|
|         |                                          | Excess beyond permissible variation                                            | Less use beyond the permissible variation |
| 1.      | Cement                                   | NIL                                                                            | NIL                                       |
| 2.      | Steel reinforcement                      | NIL                                                                            | NIL                                       |
| 3.      | Structural Sections                      | NIL                                                                            | NIL                                       |
| 4.      | Bitumen issued free                      | NIL                                                                            | NIL                                       |
| 5.      | Bitumen issued at stipulated fixed Price | NIL                                                                            | NIL                                       |

**REGISTRAR**  
Dr. Harisingh Gour Vishwavidyalaya  
Sagar (M.P.)

# **Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**

## **(A Central University)**

### **ADDITIONAL CONDITIONS:**

1. In case of any variation between different applicable terms and conditions, the following order of precedence shall be followed:-
  - (i) Nomenclature of Item
  - (ii) Additional Conditions
  - (iii) CPWD-7/8
  - (iv) General Conditions of Contract
2. Any change in Bid after opening of tender will not be allowed.
3. Before tendering, the tenderer shall inspect the site of work and shall fully acquaint himself about the Conditions with regard to site, nature of soil, availability of materials, suitable location for construction of godowns, stores and labour huts, the extent of leads and lifts involved in the work over the entire duration of contract including local conditions, traffic restrictions, obstructions, and other conditions and restrictions by the administrative authorities, and such other factors as may be required for satisfactory execution of the work. He should take into consideration all such factors and contingencies while quoting his rates. No claim whatsoever shall be entertained by the Department on this account.
4. The contractor must study the specifications and conditions carefully before tendering.
5. The contractor shall submit the programme of execution of work within a week after taking over of the site and get it approved from the Engineer-in-Charge and strictly adhere to the same for timely completion of the work.
6. The contractor shall have to make approaches to the site, if so required, and keep them in good condition for transportation of labour and materials as well as inspection of works by the Engineer-in-Charge. Nothing extra shall be paid on this account.
7. The work shall be carried out in such a manner so as not to interfere or effect or disturb other works being executed by other agencies, if any.
8. Any damage done by the contractor to any existing work shall be made good by him at his own cost, failing which the same shall be got done at his risk and cost.
9. The work shall be carried out in a manner complying in all respects with the requirement of relevant bye-laws of the local bodies under the jurisdiction of which the work is to be executed and nothing extra shall be paid on this account.
10. For completing the work in time, the contractor might be required to work in two or more shifts including Night shifts and no claims whatsoever shall be entertained on this account, notwithstanding the fact that the contractor will have to pay extra amount to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour regulation and/or for any

# **Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**

## **(A Central University)**

other reason.

11. The contractor shall make his own arrangements for obtaining electric and water connections, if required, and make necessary payments directly to the authority concerned. The department will, however, make reasonable recommendations to the authority concerned in this regard. (The department will, however, make water arrangements; one percent amount shall be deducted as water charge from bills to be paid to the contractor)
12. The contractor or his authorized representative should always be available at the site of work to take instructions from departmental officers, and ensure proper execution of work. No work should be done in the absence of such authorized representative.
13. No payment will be made to the contractor for damage caused by rains, or other natural calamities during the execution of the work and no such claim on this account will be entertained.
14. Royalty at the prevalent rates and all other incidental expenditure shall have to be paid by the contractor on the boulders, stone aggregate, shingle, earth, sand, bajri etc. collected by him for the execution of the work direct to the concerned Revenue Authority of the State or Central Govt. His rates are deemed to include all such expenditure and nothing extra shall be paid.
15. The malba/garbage removed from the site shall be disposed of by the contractor at any other suitable place as directed by the Engineer-in-Charge.
16. The contractor shall construct suitable godown at the site of work for storing the materials safe against damage due to sun, rain, dampness, fire, theft etc. He shall also employ necessary watch and ward establishment for the purpose and no extra claim whatsoever shall be entertained on this account.
17. The contractor shall bear all incidental charges for cartage, storage and safe custody of materials issued to him by the department.
18. Contractor will quote amount including all other taxes and nothing extra shall be paid on account of taxes.
19. Apart from above, all the amendments in the “General Condition of Contract for CPWD Works” issued upto the date of opening of tenders shall be applicable.
20. In partial rectification the following may be read as (i) Jamuna sand read as stone dust(ii) Secondary steel namely; Kamdhenu, Goyal, Hariom may be used in place of primary steel, however with the prior approval of the Engineer in charge
21. Dr. Harisingh Gour Vishwavidyalaya Sagar reserves the right to reject any or all the tenders at their discretion without assigning any reason thereof.
22. The contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards day and night speed limit boards red flags, red lights and providing barriers. He shall be responsible for all dangers and incidents caused to existing / new work due to negligence on his part. No hindrances shall

# **Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**

## **(A Central University)**

be caused to traffic during the execution of the work.

23. Contractor has to make a sample of exterior painting on the surface of wall and after getting approval from the competent authority, he has to finish the rest of work accordingly as per satisfaction of Engineer-in- charge.
24. The contractor shall procure all the materials in advance so that there is sufficient time to testing and approving of the materials and clearance of the same before use in work.
25. Contractor has to make a sample of exterior painting on the surface of wall and after getting approval from the competent authority; he has to finish the rest of work accordingly as per satisfaction of Engineer-in- charge.
26. It shall be ensured by the contractor that no electric live wire is left exposed or unattended to avoid any accidents in this regard.
27. Any trenching and digging for laying sewer lines/water lines/cables etc. shall be commenced by the contractor only when all men, machinery's and materials have been arranged and closing of the trench(s) thereafter shall be ensured within the least possible time.

**REGISTRAR**

Dr. Harisingh Gour Vishwavidyalaya,  
Sagar (M.P.)

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**FORM 'A'**

**ANNEXURE – V**

**FORM OF BANKERS' CERTIFICATE FROM A SCHEDULED BANK**

This is to certify that to the best of our knowledge and information M/s./Sri.....having marginally noted address, a customer of our bank are/is respectable and can be treated as good for any engagement up to a limit of Rs..... (Rupees.....). This certificate is issued without any guarantee or responsibility on the Bank or any of the officers.

This certificate is issued on the request of Shri/Smt./M/s .....  
for obtaining Tender work in Dr. Harisingh Gour Vishwavidyalaya Sagar (M.P.) in  
..... (Name of work)

(Signature)

For the Bank

Note: 1) Bankers' certificates should be on letter head of the Bank, sealed in cover addressed to authority.

2) In case of partnership firm, certificate to include names of all partners as

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

## FORM 'B'

### FINANCIAL INFORMATION

I. Financial Analysis –

Details to be furnished duly supported by figures in Balance Sheet / Profit and Loss Account for the last Three years duly certified by the Chartered Accountant, as submitted by the applicant to the Income Tax Department (Copies to be attached).

| Sl No | Details                                    | Year ending 31 <sup>st</sup> March of |      |      |
|-------|--------------------------------------------|---------------------------------------|------|------|
|       |                                            | 2022                                  | 2023 | 2024 |
| 1     | Gross annual turnover in construction work |                                       |      |      |
| 2     | Profit (+) / Loss (-)                      |                                       |      |      |

II. Financial arrangement for carrying out the proposed work.

III. Income Tax PAN details

IV. Solvency certificate from Bankers of Applicant.

SIGNATURE OF APPLICANT (S)

Signature of C.A.

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**FORM 'C'**

**DETAILS OF ALL WORKS OF SIMILAR NATURE COMPLETED DURING THE LAST FIVE YEARS  
ENDING BY 31<sup>st</sup> MARCH 2024**

| Sl. No. | Name of work/project & location | Owner or sponsoring organizations | Agreement No. | Scope of work * | Cost of work in Crore | Date commencement as per contract | Stipulated Date of completion | Actual date of completion | Litigation/Arbitration pending/ In progress with details | Name and address/ Tel No. of Officer to whom reference may be made | Remark |
|---------|---------------------------------|-----------------------------------|---------------|-----------------|-----------------------|-----------------------------------|-------------------------------|---------------------------|----------------------------------------------------------|--------------------------------------------------------------------|--------|
| 1       | 2                               | 3                                 | 4             | 5               | 6                     | 7                                 | 8                             | 9                         | 10                                                       | 11                                                                 | 12     |
|         |                                 |                                   |               |                 |                       |                                   |                               |                           |                                                          |                                                                    |        |

\*indicate Number of stories in super structure.

\*\* Indicate gross amount claimed and amount awarded by the Arbitrator

Signature of Applicant (s)

In case of works carried out for private persons/ Organization copies TDS certificate along with copy of work order / Agreement should be enclosed. Private works without TDS certificates shall not be considered for valuation.

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**FORM 'D'**

**PERFORMANCE REPORT FOR WORKS REFERRED TO IN FORM 'B' & 'C'**

1. Name of the work / Project & Location.
2. Scope of work.
3. Agreement No.
4. Estimated Cost
5. Tendered Cost
6. Value of work done
7. Date of Start
8. Date of completion
  - a. Stipulated date of completion.
  - b. Actual date of completion.
9. Amount of compensation levied for delayed Completion if any.
10. Performance report based on Quality of Work, Time Management, and Resourcefulness : Very Good / Good / Fair

DATE:-

**EXECUTIVE ENGINEER /  
PROJECT MANAGER OR EQUIVALENT**

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

### FORM 'E'

#### STRUCTURE AND ORGANISATION

1. Name and address of the applicant
2. Telephone No./Fax No/Email address.
3. Legal Status (attach  
copies of original  
document defining  
the legal status)
  - (a) An Individual
  - (b) A proprietary Firm
  - (c) A Firm in partnership
  - (d) A Limited Company or Corporation.
4. Particulars of registration with various  
Government bodies (Attach attested photocopy)
  - a) Registration Number.
  - b) Organization / Place of registration
5. Names and Titles of Directors and officers with designation to be concerned with this work  
with Designation of individuals authorized to act for the organization.
6. Was the applicant ever required to suspend construction for a period of more than six  
months continuously after the construction was commenced?  
If so, give the name of the project and give reasons thereof.
7. Has the applicant or any constituent partner in case of partnership firm,  
ever abandoned the awarded work before its completion?  
If so, give the name of the project and give reasons thereof.
8. Has the applicant or any constituent partner in case of partnership firm, ever been debarred  
/ black listed for tendering in any organization at any time? If so, give details:
9. Has the applicant or any constituent partner in case of partnership firm, ever been convicted  
by a court of law? If so, give details.
10. In which field of Civil Engineering Construction/Electrical work, specialization and interest  
is?
11. Any other information considered necessary but not included above.

**SIGNATURE OF APPLICANT(S)**

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**PART – I**  
**TECHNICAL BID DOCUMENT**

Name of Work – M.O. & M. Civil works in Departments.

| SN. | Name & Address of the Agency                                                                                                                                                                 | Details |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 1)  | a. Mobile no.<br>b. Telephone no.<br>c. Fax<br>d. E-mail<br>e. PAN (Attach copy)<br>f. GST No. of the tenderer (Attach copy)                                                                 |         |
|     | Registration No. of the tenderer (Attach copy)                                                                                                                                               |         |
|     | Income Tax Return (Last Three Financial Year) (Attach copy)                                                                                                                                  |         |
|     | Whether bidder having previous work experience of last three year (one work order of 80% of estimated cost, Two work order 60% of estimated cost, Three work order of 40% of estimated cost) |         |
|     | <b><u>Details of EMD submitted</u></b>                                                                                                                                                       |         |
|     | DD/UTR No:                                                                                                                                                                                   |         |
|     | Date:                                                                                                                                                                                        |         |
|     | Bank Name:                                                                                                                                                                                   |         |
|     | Amount: Rs. 59,000.00                                                                                                                                                                        |         |
|     | In Favour of                                                                                                                                                                                 |         |
|     | Payable at:                                                                                                                                                                                  |         |

**2. Undertaking (as per annexure - I )**

**3. No near relative certificate (as per annexure - II)**

**4. Earnest Money Deposit (Scanned copy of EMD)**

**5. Bank Guarantee for Performance Security (as per annexure - III)**

**6. Filled scan copy of form A, B, C, D and E**

**7. Scan copy of Complete tender document duly signed by Bidder**

Note : Documents having Corrections and Alterations shall not be accepted.

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**DECLARATION**

I hereby certify that the information furnished above is true and correct to the best of my/our knowledge. I understand that in case any deviation is found in the above statement at any stage, I/we will be blacklisted and will not have any dealing with the Department in future.

(Signature of Authorized Signatory with  
Date)

Date : .....

Place : .....

NOTE: All the information furnished above should be supported by documentary evidence.

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(A Central University)

## **PROCEDURE FOR SUBMITTING BIDS**

- i) Bids shall be submitted online only at CPPP website:<http://eprocure.gov.in/eprocure/app>. Tenderers are advised to follow the instructions “**Instructions for Online Bid Submission**” provided in **ANNEXURE – IV** for online submission of bids.
- ii) Tenders will have to be submitted in Two Parts i.e. (a) Technical Bid and (b) Financial Bid through ONLINE mode only.
- iii) EMD (Rs. 59,000/-) original and hard copies of the other required certificates should be sent to the address as mentioned below in an envelope, duly super scribed as EMD along with Tender No. R/EE/IWD/2024/178, Dated 13.08.2024
- iv) E-Mode or Physical Mode in the form of DD, FDR, Bank Guarantee or as per GFR 2017 in favour of "Registrar, Dr. Harisingh Gour Vishwavidyalaya, Sagar, MP" payable at Sagar. EMD may also be deposited through NEFT/RTGS to the following detail (UTR No. should be submitted in the technical bid)
- Name: The Registrar, Dr. Harisingh Gour Vishwavidyalaya, Sagar, MP**  
**Name of the Bank: State Bank of India**  
**Account No. 10186725260**  
**IFSC Code: SBIN00011043**
- vi) The EMD in the physical form should be sent through Speed Post/Registered Post only within 07 days from the last date of bid submission on the above address.

### **EMD**

**Tender No.**

**Dated :**

**To,**

**Registrar,  
Dr. HariSingh Gour Vishwavidyalaya,  
Sagar M. P. - 470003**

**From:-**

**M/s.....  
Contact No:.....**

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
**(A Central University)**

**ANNEXURE - I**

**UNDERTAKING**

(To be printed on the letter-head of Tenderer)

**TENDER No: No: R/EE/IWD/2024/178**

**Dated**

- a. I/We undertake that I/We have carefully studied all the terms and conditions and the proposed order understood the parameters of schedule of work and shall abide by them.
- b. I/We also undertake that I/We have understood "Parameters and Technical Specifications terms and conditions for executing the Order" mentioned in this Tender, and shall conduct the work strictly as per these "Parameters and Technical Specifications".
- c. I/We further undertake that the information given in this Tender are true and correct in all respect and we hold the responsibility for the same.
- d. I/We also undertake that the services to be provided will be in accordance with the schedule of work in the Tender Document and I/We shall be responsible for rejection/cancellation of contract if services are not found up to the mark. We also undertake to incur the costs necessary for the tests or any other certification required by the Vishwavidyalaya, to confirm the compliance with the work specifications cited in the Notice for Tender.

Signature (with Stamp).....

Name.....

Designation.....

Date: .....

Place: .....

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**ANNEXURE - II**

**NO NEAR-RELATIVE CERTIFICATE/ DECLARATION**

(to be submitted by authorized signatory)

I \_\_\_\_\_ son/daughter/wife of  
Shri \_\_\_\_\_ Authorized  
signatory of M/s \_\_\_\_\_ (Name and  
address of the bidder) is competent to sign this declaration and execute the tender document.

I \_\_\_\_\_ resident of \_\_\_\_\_ hereby certify that  
none of relatives of mine/proprietor/partners/directors is/are employed in the Dr. Harisingh  
Gour Vishwavidyalaya, Sagar (M.P.). In case at any stage it is found that the information given by  
me is false/ incorrect the purchaser shall have the absolute right to take any action as deemed  
fit/without any prior information to me.

The Information/documents furnished, along with the tender document are true and authentic to  
the best of my knowledge and belief. I am well aware of the fact that furnishing of any false  
information/fabricated documents would lead to rejection of my tender at any stage besides  
liabilities towards prosecution under appropriate law.

(Signature of Authorized Signatory)

Full Name:

Date:

Address:

Place:

Seal:

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

**ANNEXURE- III**

**PROFORMA OF BANK GUARANTEE FOR PERFORMANCE SECURITY**

(to be stamped in accordance with relevant Act)

**Ref:** **Bank Guarantee No. ....**

**To,**  
**Registrar,**  
**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**

Dear Sir,

In accordance with your NIT No. .... dated .....  
M/s ..... having its registered/ Head office  
at ..... has participated in the said bid .

As an irrevocable Bank Guarantee against Performance Guarantee for an amount of  
..... valid up to ....., is required to be submitted by the  
bidder as a condition precedent for commencement of the contract of supply of equipment,  
the amount is liable to be forfeited on the happening of any contingencies mentioned in the  
bid documents and contract agreement.

We, the ..... Bank at ..... having our head office at  
..... guarantee and undertake to pay immediately on demand  
by The Registrar, Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.) the amount  
..... (in figures and words) without any reservation, protest,  
demur and recourse. Any Such demand made by said owner shall be conclusive and binding  
on us irrespective of any dispute or difference raised by the bidder.

This guarantee shall be irrevocable and shall remain valid up to ..... If  
any further extension of this guarantee is required, the same shall be extended to such  
required period on receiving instruction from M/s ..... on whose behalf  
guarantee is issued.

In witness whereof the Bank, through its authorized officer has set its hand stamped on this  
.....Day of ..... 2024 at .....

Witness

Signature .....

Name .....

.....

Address .....

Signature.....

Name.....

Designation .....

Bank's Common Seal .....

Official Address .....

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

### SCHEDULE OF ITEMS

| NAME OF WORK:- M.o & M Civil Works in Departments (For reference only) |          |                                                                                                                                                                                                                                                                                                                                        |         |      |         |           |
|------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|---------|-----------|
| SR NO                                                                  | Item No. | Item                                                                                                                                                                                                                                                                                                                                   | Qty     | Unit | Rate    | Amount    |
| 1                                                                      | 15.12    | <b>15.12</b> Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : <b>15.12.1</b> Of area 3 sq. metres and below                                                                                                     | 30.00   | EACH | 367.20  | 11016.00  |
| 2                                                                      | 15.13    | <b>15.13</b> Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : <b>15.13.1</b> Of area 3 sq. metres and below                                                                                                                                                         | 10.00   | SQM. | 143.50  | 1435.00   |
| 3                                                                      | 2.6      | <b>2.6</b> Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. <b>2.6.1</b> All kinds of soil | 30.00   | CUM. | 177.50  | 5325.00   |
| 4                                                                      | 15.2.1   | 15.2 Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.15.2.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)                                                                                                 | 20.00   | Cum  | 2434.25 | 48685.00  |
| 5                                                                      | 4.1      | <b>4.1</b> Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 4.1.5 1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size).                                                                         | 6.00    | CUM. | 7294.70 | 43768.20  |
| 7                                                                      | 15.56    | <b>15.56</b> Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.                                                                                                                                                     | 400.00  | SQM. | 54.65   | 21860.00  |
| 8                                                                      | 6.1      | <b>6.1</b> Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: <b>6.1.1</b> Cement mortar 1:4 (1 cement : 4 coarse sand)                                                                                                                                               | 20.00   | CUM. | 7370.65 | 147413.00 |
| 9                                                                      | 10.25    | <b>10.25</b> Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. <b>10.25.2</b> In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works                     | 1150.00 | KG   | 172.60  | 198490.00 |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |        |      |         |           |
|----|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|---------|-----------|
| 10 | 10.15.1 | 10.15 Providing and fixing M.S. Tubular frames for doors, windows, ventilators and cupboard with rectangular/ L-Type sections, made of 1.60 mm thick M.S. Sheet, joints mitred, welded and grinded finish, with profiles of required size, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.<br>10.15.1 Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) kg | 450.00 | KG   | 195.20  | 87840.00  |
| 11 | 9.48.1  | 9.48 Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. 9.48.1 Fixed to steel windows by welding kg                                                                                                                                                                                                                                                                                                   | 850.00 | KG   | 219.10  | 186235.00 |
| 12 | 15.23.1 | 15.23 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 15.23.1 For thickness of tiles 10 mm to 25 mm sqm                                                                                                                                                                                                                                                                                                                                                                   | 60.00  | sqm  | 73.40   | 4404.00   |
| 13 | 18.46.1 | 18.46 Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 18.46.1 15 mm nominal bore each                                                                                                                                                                                                                                                                                                                                                                | 15.00  | EACH | 318.35  | 4775.25   |
| 14 | 11.3    | <b>11.3</b> Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. <b>11.3.1</b> 40 mm thick with 20 mm nominal size stone aggregate                                                                                                                                                                                                                                           | 30.00  | Sqm  | 614.20  | 18426.00  |
| 15 | 11.28   | <b>11.28</b> 40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand) with joints finished flush. <b>11.28.1</b> Red sand stone                                                                                                                                                                                                                                                                                                                                               | 100.00 | Sqm  | 1280.10 | 128010.00 |
| 16 | 11.26.1 | 11.26 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 11.26.1 25 mm thick sqm                                                                                                                                                                                                                                               | 10.00  | sqm  | 1948.25 | 19482.50  |

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

|    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |     |         |          |
|----|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|---------|----------|
| 17 | 11.27 | 11.27 Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete. sqm                                                                                                                                                                                                                                                                                        | 25.00 | sqm | 2354.70 | 58867.50 |
| 18 | 9.21  | 9.21 Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 9.21.1 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws sqm                                                                                                                                                                              | 20.00 | sqm | 2392.65 | 47853.00 |
| 19 | 9.199 | 9.119 Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineerin- Charge. | 45.00 | Rm. | 492.70  | 22171.50 |

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

|    |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |      |         |          |
|----|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|---------|----------|
| 20 | 9.118.1 | 9.118.1 24 mm thick factory made PVC door shutters made of styles and rails of a uPVC hollow section of size 59x24 mm and wall thickness 2 mm ( $\pm 0.2$ mm) with inbuilt edging on both sides. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 20x20 mm and 1 mm ( $\pm 0.1$ mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x24 mm and 2 mm ( $\pm 0.2$ mm) wall thickness, fixed to the shutter styles by means of plastic/galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620mm, having over all thickness of 20 mm and 1 mm ( $\pm 0.1$ mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. (For W.C. and bathroom door shutter). | 20.00 | Sqm  | 2969.25 | 59385.00 |
| 21 | 17.1    | 17.1 Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:<br>17.1.1 White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5.00  | EACH | 6767.40 | 33837.00 |

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

|    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |      |         |           |
|----|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|---------|-----------|
| 22 | 8.2.2 | 8.2 Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.8.2.2 Granite of any colour and shade8.2.2.2 Area of slab over 0.50 sqm | 20.00  | Sqm  | 5413.50 | 108270.00 |
| 23 | 8.4   | 8.4 Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.                                                                                                                                                                                                                                                                                                                                                                                                       | 4.00   | Rm.  | 568.55  | 2274.20   |
| 24 | 8.5   | 8.5 Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.                                                                                                                                                                                                                                                                                                   | 2.00   | EACH | 978.70  | 1957.40   |
| 25 | 17.10 | <b>17.10</b> Providing and fixing Stainless Steel A ISi 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required :<br><b>17.10.2</b> Kitchen sink without drain board<br><b>17.10.2.1</b> 610x510 mm bowl depth 200 mm                                                                                                                                                                                                                                            | 4.00   | EACH | 6945.60 | 27782.40  |
| 26 | 8.31  | 11.36 Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.                                                                           | 150.00 | Sqm  | 1267.95 | 190192.50 |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |        |      |         |           |
|----|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|---------|-----------|
| 27 | 11.41 | <b>11.41</b> Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete.<br><b>11.41.2</b> Size of Tile 600x600 mm | 200.00 | Sqm  | 1553.45 | 310690.00 |
| 28 | 13.2  | <b>13.2</b> 15 mm cement plaster on the rough side of single or half brick wall of mix : <b>13.2.2</b> 1:6 (1 cement: 6 fine sand)                                                                                                                                                                                                                                                                                                                                                       | 200.00 | Sqm  | 383.00  | 76600.00  |
| 29 | 13.33 | <b>13.33</b> Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand) : <b>13.33.1</b> Flush/ Ruled pointing                                                                                                                                                                                                                                                                                                                                                               | 70.00  | Sqm  | 385.40  | 26978.00  |
| 30 | 14.1  | <b>14.1</b> Repairs to plaster of thickness 12mm to 20mm in patches of area 2.5 sq. meters and under including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50metres lead : <b>14.1.1</b> With cement mortar 1:4 (1cement: 4 coarse sand).                                                                                                             | 90.00  | SQM. | 547.40  | 49266.00  |
| 31 | 15.7  | <b>15.7</b> Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.<br><b>15.7.4</b> In cement mortar                                                                                                                                                                                                                                       | 3.50   | CUM. | 2060.20 | 7210.70   |
| 32 | 17.2  | <b>17.2</b> Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required <b>17.2.1</b> W.C. pan with ISI marked white solid plastic seat and lid                  | 5.00   | Each | 6515.55 | 32577.75  |
| 33 | 9.55  | <b>9.55</b> Providing and fixing ISI marked M.S. pressed butt hinges bright finished with necessary screws etc. complete : <b>9.55.1</b> 125x65x2.12 mm                                                                                                                                                                                                                                                                                                                                  | 15.00  | EACH | 53.00   | 795.00    |
| 34 | 9.96  | <b>9.96</b> Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc.                                                                                                                                                                                                                                                               | 10.00  | EACH | 260.60  | 2606.00   |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |            |                                                                                                                                                                                                                                                                                                                                                        |       |       |         |          |
|----|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|---------|----------|
|    |            | complete : <b>9.96.2</b> 250x16 mm                                                                                                                                                                                                                                                                                                                     |       |       |         |          |
| 35 | 9.97       | <b>9.97</b> Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete : <b>9.97.2</b> 250x10 mm                                                                                               | 9.00  | EACH  | 115.15  | 1036.35  |
| 36 | 9.100      | <b>9.100</b> Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : <b>9.100.2</b> 100 mm                                                                                                     | 15.00 | EACH  | 59.55   | 893.25   |
| 37 | 9.101      | <b>9.101</b> Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. <b>9.101.2</b> Twin rubber stopper                                                                     | 19.00 | EACH  | 72.35   | 1374.65  |
| 38 | 10.30      | <b>10.30</b> Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with : <b>10.30.1</b> 4.0 mm thick glass panes                                                                                                                                                                      | 30.00 | Sqm   | 1064.65 | 31939.50 |
| 39 | 17.7       | <b>17.7</b> Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:<br><b>17.7.1</b> White Vitreous China Wash basin size 630x450mm with a pair of 15 mm C.P. brass pillar taps | 5.00  | EACH  | 2648.85 | 13244.25 |
| 40 | 17.16<br>A | <b>17.16A</b> Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.                                                                                                                                           | 5.00  | Each  | 349.15  | 1745.75  |
| 41 | 18.10      | <b>18.10</b> Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall <b>18.10.1</b> 15 mm dia nominal bore                                                                                                                                                  | 35.00 | metre | 366.40  | 12824.00 |
| 42 | 18.11      | <b>18.11</b> Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : <b>18.11.1</b> 15 mm dia nominal bore                                                                           | 45.00 | metre | 580.45  | 26120.25 |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |         |                                                                                                                                                                                                                                                                                                                     |         |       |        |          |
|----|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|--------|----------|
| 43 | 18.12   | <b>18.12</b> Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc.<br><b>18.12.1</b> 15 mm dia nominal bore                                                                                                                                                            | 15.00   | metre | 322.15 | 4832.25  |
| 44 | 18.10   | <b>18.10</b> Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall<br><b>18.10.3</b> 25 mm dia nominal bore                                                                                                            | 18.00   | metre | 551.70 | 9930.60  |
| 45 | 18.13   | <b>18.13</b> Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete<br><b>18.13.1</b> 25 to 40 mm nominal bore                                                                                         | 3.00    | EACH  | 911.90 | 2735.70  |
| 46 | 18.16   | <b>18.16</b> Providing and fixing brass stop cock of approved quality : <b>18.16.1</b> 15 mm nominal bore                                                                                                                                                                                                           | 12.00   | EACH  | 353.25 | 4239.00  |
| 47 | 18.52.1 | 18.52 Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.<br>18.52.1 15 mm nominal bore each 545.95                                                                                                                                                | 5.00    | EACH  | 670.45 | 3352.25  |
| 48 | 18.17   | <b>18.17</b> Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :<br><b>18.17.1</b> 25 mm nominal bore                                                                                                                                                                     | 3.00    | EACH  | 622.40 | 1867.20  |
| 49 | 18.18   | <b>18.18</b> Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete : <b>18.18.1</b> 15 mm nominal bore                                                                                                                                                    | 3.00    | EACH  | 406.85 | 1220.55  |
| 50 | 18.49   | <b>18.49</b> Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : <b>18.49.1</b> 15 mm nominal bore                                                                                                                                                                                 | 15.00   | EACH  | 506.80 | 7602.00  |
| 51 | 18.51   | <b>18.51</b> Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.<br><b>18.51.1</b> 15 mm nominal bore                                                                                                                             | 5.00    | EACH  | 798.95 | 3994.75  |
| 52 | 18.48   | <b>18.48</b> Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. <b>18.48A</b> Circular tank | 2000.00 | ltr   | 11.00  | 22000.00 |
| 53 | 12.41   | <b>12.41</b> Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. <b>12.41.2</b> 110 mm diameter                              | 55.00   | Rm.   | 377.40 | 20757.00 |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |       |                                                                                                                                                                                                                                                                                                                                              |         |      |        |           |
|----|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|--------|-----------|
| 54 | 12.42 | <b>12.42</b> Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. <b>12.42.5</b> Bend 87.5°<br><b>12.42.5.2</b> 110 mm bend | 25.00   | EACH | 150.35 | 3758.75   |
| 55 | 18.75 | <b>18.75</b> Providing and fixing PTMT extension nipple for water tank pipe, fittings of approved quality and colour. <b>18.75.1</b> 15 mm nominal bore, weighing not less than 32 gms                                                                                                                                                       | 6.00    | EACH | 53.60  | 321.60    |
| 56 | 18.74 | <b>18.74</b> Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour.<br><b>18.74.1</b> 15 mm nominal bore with 30cm length                                                                                                                                                 | 3.00    | EACH | 96.35  | 289.05    |
| 57 | 13.88 | Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete                                                                                                                                                                                         | 475.00  | Sqm  | 19.75  | 9381.25   |
| 58 | 13.80 | <b>13.80</b> Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.                                                                                                                                 | 511.13  | Sqm  | 156.05 | 79761.84  |
| 59 | 13.85 | Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound ) content. With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre.                                                                                                                   | 89.50   | Sqm  | 73.95  | 6618.53   |
| 60 | 13.82 | Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour <b>13.82.2</b> Two coats.                                                                   | 2300.00 | Sqm  | 137.45 | 316135.00 |
| 62 | 13.45 | Finishing walls with textured exterior paint of required shade : New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including priming coat of exterior primer applied @2.20kg/10 sqm.                                                                                                                                           | 1450.00 | Sqm  | 223.60 | 324220.00 |
| 63 | 13.61 | <b>13.61</b> Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : <b>13.61.1</b> Two or more coats on new work                                                                                                                                                                                     | 600.00  | Sqm  | 155.90 | 93540.00  |
| 64 | 13.3  | <b>13.3</b> 20 mm cement plaster of mix : <b>13.3.2</b> 1:6 (1 cement: 6 fine sand)                                                                                                                                                                                                                                                          | 15.20   | Sqm  | 450.00 | 6840.00   |

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
(A Central University)

|             |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |     |         |              |
|-------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|---------|--------------|
| 65          | 16.91 | Providing and laying factory made chamfered edge Cement Concrete paver blocks In foot path, park & lawns driveway or light & traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of course sand, compacting and proper embedding/ laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, all complete as per manufacturer's specifications & direction of Engineer in-Charge. | 64.00 | sqm | 1045.65 | 66921.60     |
|             | 21.18 | Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc. to be paid separately).                                                                                                                                                                                                                                                                                             | 20.00 | sqm | 5325.90 | 106518.00    |
|             |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Rs/-  |     |         | 3172493.81   |
|             |       | less cost index for sagar @93 =(93/100)=-7 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Rs/-  |     |         | 222074.57    |
| Grand Total |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |     |         | 2950419.24   |
| Say RS      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |     |         | 29,50,000.00 |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

### LIST OF APPROVED MATERIALS (CIVIL)

1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender shall be used in the work.
2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
3. Whenever the specified brand of material is not available than, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

|    |                                                                 |                                                                                                                             |
|----|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| 1  | AAC Block                                                       | Aerocon , Siporex, Ultratech, Ecolite, Concretite, J.K. Laxmi (Cement Ltd.) BILTECH, Kansal, Dlite Blocks, Ecorex, Orilite. |
| 2  | AAC Block Adhesive                                              | Ferrous crete (Ferro-1188), ARDEXENDURA (White Star), Ultratech (Fixed-Block), STP Ltd, Berger Home Shield                  |
| 3  | Acrylic Distemper, Emulsion, Synthetic Enamel Paint and Primer. | Asian Paints, ICI Dulux, Berger, Nerolac                                                                                    |
| 4  | Epoxy Adhesive                                                  | FOSROC, Aquomix, Cholsey, BAL-ENDURA, STP Ltd. Berger Home Shield.                                                          |
| 5  | Aluminium Composite Panel                                       | Alpolic, Aluco Bond Reynobond, Euro bond, Alstrong                                                                          |
| 6  | Aluminium Extrusions                                            | Hindalco Indalco, Indalco                                                                                                   |
| 7  | Aluminium Section                                               | Jindal, Hindalco, Indalco                                                                                                   |
| 8  | Annealed Float Glass                                            | Saint Gobain, Modi Guard, Asahi                                                                                             |
| 9  | Bitumen                                                         | Indian Oil, Hindustan Petroleum, Bharat Petroleum                                                                           |
| 10 | Calcium Silicate Board/Tiles                                    | Aerolite, Hilux, Strapan                                                                                                    |
| 11 | CC Pavers/ Grass Pavers                                         | Nitco, Hindustan, Ultra, KIS Concrete, Duracrete, Mehtab Tiles, Kaptim.                                                     |
| 12 | Centrifugally Cast Iron Pipe & Fittings                         | NECO,SKE,BIC, RIF, KAPILANSH, HIF                                                                                           |
| 13 | Ceramic Tiles                                                   | Kajaria, Somany, Nitco, Orient Bell, Johnson, RAK Ceramics                                                                  |
| 14 | Chequered/Tactile Tiles                                         | Dura, Eurocon, Modem, Hindistan, Johnson, Eavison                                                                           |
| 15 | CI Manhole Cover                                                | BIC, SKF, NICO, Hepco, Kapilansh, RIF                                                                                       |
| 16 | CI Double flanged non-return valves                             | Kirloskar, Sant, Kartar.                                                                                                    |
| 17 | CP fittings                                                     | Jaquar, Marc, Kohlar, Prima(ISI), Grohe                                                                                     |
| 18 | CPVC Pipes & Fittings                                           | Astral Flowguard, Ashirvad, Prince, Supereme, Finolex, VECTUS                                                               |
| 19 | Curtain Carrier/Drapery Rod                                     | Marvel, Vista, levior, Johson.                                                                                              |
| 20 | Dash fastener, Expansion Bolt                                   | Hilti , Bosch Fischer                                                                                                       |
| 21 | Hydraulic Door closer, Floor springs                            | Dorma, Hettich, Hafele, Geze                                                                                                |
| 22 | Ductile Iron Pipe (Water Supply)                                | Electro steel, Kesso, KDUPL, Electro Spun                                                                                   |
| 23 | EPDM Gasket                                                     | Hanu, Anand, Lescuyer                                                                                                       |
| 24 | GRC/Tactile Tile                                                | Unistone, Eurocon, Dazzle                                                                                                   |
| 25 | Epoxy Grouting Compound                                         | Pidilite, Feros Crete (Ferro-102), MYK, LATICRETE, STP Ltd. Berger Home Shield                                              |
| 26 | Epoxy Primer & Paints                                           | Berger, Pidilite, CICO, BASF,SIKA, STP Ltd.                                                                                 |
| 27 | Fire Check door                                                 | Navair, Godrej, Shakti                                                                                                      |
| 28 | Float Glass Mirror                                              | Modi, Float, Sint Gobain, Asahi                                                                                             |
| 29 | Flush Doors (ISI Mark only)                                     | Century, Kitlam, Archid, Greenply, Marino, Duro,                                                                            |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |                                                         |                                                                                                                                           |
|----|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                                         | M/s GUJCON                                                                                                                                |
| 30 | Friction Stay                                           | Earl-Bihari, Geze, Hettich, Securistyle                                                                                                   |
| 31 | Galvanized/Stainless Steel Anchor Fasteners             | Shakti, Arrow, Hilti, Fischer                                                                                                             |
| 32 | GI Pipe & Fittings                                      | Tata, Zenith, Jindal, Prakash Surya, Swastik, (ISI Marked only)                                                                           |
| 33 | GI Sheet                                                | Sail, TATA, Jindal or equivalent                                                                                                          |
| 34 | Gun Metal Gate Valve                                    | Zoloto, Leader, SANT, Prima                                                                                                               |
| 35 | Glass Mosaic Tile                                       | Bisazza, Italia , Palladio, Mridul                                                                                                        |
| 36 | Gypsum Board (False Ceiling)                            | Boral Gypsum, India Gypsum, St. Gobain                                                                                                    |
| 37 | Hardener                                                | Hardcrete of Snowcem India, Pidilite, CICO, Barger Home Shield                                                                            |
| 38 | HDPE Pipes                                              | VECTUS, Emco Polyfins, Pioneer, Plyfab                                                                                                    |
| 39 | Jet Assembly for EWC/Health Faucet                      | Parryware, Jaguar, Marc, PRIMA (ISI)                                                                                                      |
| 40 | Kitchen loft tank                                       | Sintex, Tirupati Structural Ltd. KMS Plast world P. Ltd. Planet Plastics, Sri Kamakshi Traders, Sreyah Novel InC                          |
| 41 | Laminate and Veneers                                    | Merino, Greenlam, Formica, Kitlam,                                                                                                        |
| 42 | Locks/Latch                                             | Godrej, Harrision, Dorma, Yale, Doorset (ISI)                                                                                             |
| 43 | Marine Plywood/BWP Ply                                  | Duro, Century, Greenlam                                                                                                                   |
| 44 | Melamine Polish                                         | Asian Paints, Pidilite, ICI Dulux, Burger                                                                                                 |
| 45 | Metel False Ceiling                                     | Nitobond, Armstrong, Trac, Durlum, Lafarge, Anutone                                                                                       |
| 46 | Mineral Fibre/GRG Ceiling                               | Armstrong, Daiken, Anutone, Diamond, Credence                                                                                             |
| 47 | M.S. Pipe (Railing)                                     | Jindal, Tata, RINL, Prakash Surya                                                                                                         |
| 48 | M.S. Tubes                                              | Tata, Apollo, Prakash, Surya                                                                                                              |
| 49 | Multicoat Synthetic Plaster/Textured Exterior wll Paint | Spectrum, Heritage, Ultratech, Berger                                                                                                     |
| 50 | Plywood                                                 | Greenply, Century, Duro                                                                                                                   |
| 51 | Polycarbonate Sheet                                     | Danpalon (DPI), Bayer, Macrolux                                                                                                           |
| 52 | Polysulphide/Silicon Sealant                            | Pidilite, Fosroc, Tuffseal, Chouksey Chemicals, Berger Home Shield                                                                        |
| 53 | POP (Plaster of paris)                                  | JK, Laxmi, Sriram Nirman, Sakarni                                                                                                         |
| 54 | PPR Pipes                                               | SFMC, SAFE, Poineer Industries                                                                                                            |
| 55 | Precast CC interlocking Tiles                           | Hindustan, Paver India, KK                                                                                                                |
| 56 | Precoated Profile Sheet                                 | Tata, Bhushan or equivalent                                                                                                               |
| 57 | Pre-laminated Particle Board                            | Ecoboard, Action-Tesa, Duro, Century Ply.                                                                                                 |
| 58 | Pressed Steel door frame                                | M/s Engineers & Favricator, Raipur, M/s J.K. Enterprises, jaipur, M/s Jangid Engineer works, Jaipur, M/s Swastik Super Industries, Mohali |
| 59 | PTMT Fittings                                           | Prayag, Polytuf, Pearl, Millennium, PRIMA                                                                                                 |
| 60 | PVC Cistern                                             | Steelbird, Jindal, Seabird, Prayag , Commander                                                                                            |
| 61 | PVC Connection Pipe                                     | Supreme, Prince, Finolex                                                                                                                  |
| 62 | PVC Rain Water Pipe & Fiting                            | Finolax, Kisan, Kasta, Supreme, Astral, Prince                                                                                            |
| 63 | Ready Mix Concrete (RMC)                                | Lafarge, Akchon, ACC, L & T, Grasim, Ultratech, RMC Ind                                                                                   |
| 64 | PVC Shutter                                             | Polygreen, Rajshri, Plstogreen, Sintex                                                                                                    |
| 65 | PVC Water Storage Tank (Only ISI)                       | VECTUS, Water Well, Plasto, Polycin, sintex                                                                                               |
| 66 | Sluice Valve                                            | Kirloskar, Venus, Kalpana, SANT, KARTAR, Zolto                                                                                            |
| 67 | Solid PVC Frames and Shutters                           | Polygreen, Rejshri, Plastogreen, Sintex                                                                                                   |
| 68 | Stainless Steel                                         | Jindal, Salem or equivalent                                                                                                               |
| 69 | Stainless Steel Sink with or without Draining board.    | Narali, Hindware, Frankee, Neelkanth, Jaguar                                                                                              |

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

|    |                                                                     |                                                                                                                                                           |
|----|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 70 | Stainless Steel Door/Window Fitting & Fixtures                      | Dorma, HGindware, Frankee, Neelkanth, Jaguar                                                                                                              |
| 71 | Structural steel section                                            | TATA, SAIL, RINI, Jindal                                                                                                                                  |
| 72 | Supar plasticizer/ admixture                                        | Sika, Fosroc, Chouksey , Chemicals, BASF, Berger Home Shield                                                                                              |
| 73 | Tensile Fabric                                                      | Bluestine, Encon, Structure Flex                                                                                                                          |
| 74 | Tile Adhesive                                                       | Ferrous Crete (Ferro-1122), Ardex Endura (Gold Star), PIDILITE (Ferrous XL), WEABR (Saint-Gobin) Sika, Thermoshield, Somany, STP Ltd., Berger Home Shield |
| 75 | Towel Ring / Towel Rod/Towel Rack                                   | Marc, Jaguar, PRIMA, Kolhar, Grohe                                                                                                                        |
| 76 | Tubular Steel Window & Pressed Steel door frame.                    | M/s Engineers & Fabricator, Raipur, M/s J.K. Enterprises, Jaipur, M/s Swastik Super Industries, Mohali(Punjab) M/s Jangid Engg. Jaipur                    |
| 77 | UPVC Pipes & Fittings                                               | Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VEXTUS                                                                                              |
| 78 | UPVC Windows                                                        | Wintech, NCL, Fenesta, Aluplast, Kommerling                                                                                                               |
| 79 | Urinal, W.S. W.C. Sheet with Cistern                                | Jaguar, Tolo, Kohlar, Cera, Commander                                                                                                                     |
| 80 | Vitreous China Sanitary ware, Fittings & Fixtures                   | Hindware, Parryware, Jaguar, Somany, Roca, Cera                                                                                                           |
| 81 | Vitrified Tile                                                      | Johnson-Marbonite, Somany, Kajaria, Orient Bell, NITCO, RAK                                                                                               |
| 82 | Wall Putty                                                          | J.K. , BIRLA. SARAPUTTY, Berger, Home Shield                                                                                                              |
| 83 | Waste Pipe                                                          | Kamal, Viking, Jaguar                                                                                                                                     |
| 84 | Water Proofing Compound (Liquid)                                    | Pidilite, Cico, Impermo, STP Ltd. Berger Home Shield                                                                                                      |
| 85 | White Cement                                                        | J.K. White, Birla white, Grasim                                                                                                                           |
| 86 | Auditorium Chairs                                                   | Godrej, Wipro, Methodex, Bonton, Penworker, Durion, Spacewood                                                                                             |
| 87 | Silicon based Water repellent/weather sealant                       | G.E. Plastics, Dow coming wicker, BASG, Pidilite (Dr Fixit/Rott), ATP Ltd.,                                                                               |
| 88 | Acrlic Smooth Exterior Paint                                        | Asian Paint, Nerolac, Berger, ICI-Dulux, STP Ltd.                                                                                                         |
| 89 | Fire Paint                                                          | Asian Paints, Akzo Nobel Coatings India Ltd. PROMAT, Jotun, STP Ltd.                                                                                      |
| 90 | Floor Hardener                                                      | Ironite, Ferrok, Hardonate, STP Ltd.                                                                                                                      |
| 91 | Ready mix Plaster                                                   | Ultra Tech, Ferrous Crete Saint Gobain, STP Ltd.                                                                                                          |
| 92 | European Acrylic System                                             | Durabolt, Decoturf, Moldo                                                                                                                                 |
| 93 | Self levelling Cementitious                                         | Endura, Mapeior, Kerloil, Bixxst Autolevel                                                                                                                |
| 94 | Vinyl Flooring                                                      | Grabo (Ebaco), Gerfloor( Free will), Tarkett                                                                                                              |
| 95 | Puff Insulated Roof panel 40/74 mm thick                            | Jindal, Epack, Alfa                                                                                                                                       |
| 96 | Elastic Base Mat                                                    | Grabo (Ebaco) Gerfloor (Free will) Tarkett                                                                                                                |
| 97 | Water Proofing treatment with water based polyurethane coating (UP) | Makphalt, BASF, W.R. Meadows, Gerger Home Shield                                                                                                          |

### **INSTRUCTION FOR ONLINE BID SUBMISSION**

The bidders are required to submit soft copies of their bids electronically on the CPP portal, using valid Digital Signature Certificates (DSC). The instructions given below are meant to assist the bidders in registering on the CPP portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP portal. More information useful for submitting online bids on the CPP portal may be obtained at <http://eprocure.gov.in/eprocure/app>.

#### **REGISTRATION**

1. Bidders are required to enroll on the e-procurement module of the Central Public Procurement Portal([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)) by clicking on the link **“Online Bidder Enrolment”** on the CPP portal which is free of charge.
2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
3. Bidders are advised to register their valid email address and mobile number as part of registration process. These would be used for any communication from the CPP portal.
4. Upon enrolment, bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/nCode/eMudra etc.) with their profile.
5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
6. Bidders then logs in to the site through the secured log in by entering their user ID/ Password and the password of the DSC/e-Token.

#### **SEARCHING FOR THE TENDER DOCUMENTS**

1. There are various search options built in the CPP portal, to facilitate the bidders to reach active tenders by several parameters. These parameters could Tender ID, Organization Name, Location, Date Value, etc. There is also an option of advanced search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
2. Once the bidders have selected the tenders they are interested in, they may download the required documents/ tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS/E-mail in case there is any corrigendum issued to the tender document.
3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification/ help from the Helpdesk.

#### **PREPARATION OF BIDS**

1. Bidder should take in to account any corrigendum published on the tender document before submitting their bids.
2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents – including the names and content of each of document that need to be submitted. Any deviations from these may lead to rejection of the bid.
3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/ schedule and generally, they can be in PDF/ XLS/ DWF/ JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

of scanned document.

4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” or “Other Important Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid and need not be uploaded again and again. This will lead to reduction in the time required for bid submission process.

### **SUBMISSION OF BIDS**

1. Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
3. Bidder has to select the payment option as “offline” to pay EMD as applicable and enter details of the furniture/Material
4. Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted to the concerned official latest by the last date as specified in the tender document. The details of DD/ other accepted Material physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
5. Bidders are requested to note that they should necessarily submit their financial bids in format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of bidder). No other format is acceptable.
6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers / bid openers public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
7. Upon the successful and timely submission of bids (i.e. after clicking “Freeze Bid Submission” in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid number and the date & time of submission of the bid with all other relevant details.
8. The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

### **ASSISTANCE TO BIDDERS**

1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to process of online bid submission or queries relating to CPP portal in general may be directed to the 24X 7 CPP Portal Helpdesk.

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
**(A Central University)**

**INTEGRITY PACT**

To,

.....,  
.....,  
.....

Sub: NIT No. **R/EE/IWD/2024/178**, Dated **13.08.2024**  
for the work **“M.O. & M. Civil works in Departments.”**

Dear Sir,

It is here by declared that Dr.Harisingh Gour Vishwavidyalaya, Sagar (M.P.) is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the Dr. Harisingh Gour Vishwavidyalaya, Sagar.

Yours Sincerely

**Registrar**  
**Dr. Harisingh Gour Vishwavidyalaya,**  
**Sagar**

**Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)**  
**(A Central University)**

**INTEGRITY PACT**

To,  
Registrar,  
.....,  
.....

Sub: Submission of Tender for the work of **“M.O. & M. Civil works in Departments.”**

Dear Sir,

I/We acknowledge that Dr. Harisingh Gour Vishwavidyalaya, Sagar is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by Dr. Harisingh Gour Vishwavidyalaya, Sagar.

I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, Dr. Harisingh Gour Vishwavidyalaya, Sagar shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours Sincerely

(Duly authorized signatory of the Bidder)

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

**To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of UNIVERSITY.**

### **INTEGRITY AGREEMENT**

This Integrity Agreement is made at .....on this.....day of..... 2024.

#### **BETWEEN**

Dr. Harisingh Gour Vishwavidyalaya, Sagar represented through Registrar, Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

(Hereinafter referred as the) '**Principal/Owner**', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

#### **AND**

(Name and Address of the Individual/firm/Company).....

Through .....(hereinafter referred to as the (Details of duly authorized signatory)

**"Bidder/Suppliers"** and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

#### **Preamble**

WHEREAS the Principal /Owner has floated the Tender No.) (hereinafter referred to as **"Tender/Bid"**) and intends to award, under laid down organizational procedure, contract for (Name of work) hereinafter referred to as the **"Contract"**. AND WHEREAS the Principal / Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Suppliers(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as **"Integrity Pact"** or **"Pact"**), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

#### **Article 1: Commitment of the Principal / Owner**

1) The Principal/ Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:

**a.** No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

**b.** The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.

**c.** The Principal / Owner shall endeavor to exclude from the Tender process any person whose conduct in the past has been of biased nature.

2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC) / Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal / Owner will inform the Chief

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

### Article 2: Commitment of the Bidder (s) / Suppliers (s)

- 1) It is required that each Bidder / Suppliers (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s) / Suppliers(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
  - a) The Bidder(s) / Suppliers(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal / Owners employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
  - b) The Bidder(s) / Suppliers (s) will not enter with other Bidder (s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other action to restrict competitiveness or to cartelize in the bidding process.
  - c) The Bidder(s) / Suppliers(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
  - d) The Bidder(s)/ Suppliers(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s)/Suppliers(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
  - e) The Bidder(s)/ Suppliers(s) will, when presenting his bid, disclose (with each tender as per Performa enclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Suppliers(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s) / Suppliers(s) will not, directly or through any other person or firm indulge in fraudulent practice **means** a willful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s) / Suppliers(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

potential or actual injury may befall upon a person, his / her reputation or property to influence their participation in the tendering process)

### Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal / Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Suppliers(s) and the Bidder / Suppliers accepts and undertakes to respect and uphold the Principal / Owners absolute right:

- 1) If the Bidder (s)/Suppliers(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the Suppliers shall have powers to disqualify the Bidder(s)/Suppliers(s) from the Tender process or terminate /determine the Contract, if already executed or exclude the Bidder/Suppliers from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal / Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) **Forfeiture of EMD / Performance Guarantee / Security Deposit:**  
If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder / Suppliers.
- 3) **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Suppliers, or of an employee or a representative or an associate of a Bidder or Suppliers which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

### Article 4: Previous Transgression

1. The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holding listing of the Bidder/Suppliers as deemed fit by the Principal/Owner.
3. If the Bidder/Suppliers can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

### Article 5: Equal Treatment of all Bidders/Suppliers/Sub Suppliers

- 1) The Bidder(s)/Suppliers(s) undertake(s) to demand from all sub Suppliers a commitment in conformity with this Integrity Pact. The Bidder / Suppliers shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-Suppliers/sub-vendors.
- 2) The Principal / Owner will enter e with all Bidders and Suppliers.
- 3) The Principal / Owner will disqualify Bidders, who do not submit, the duly signed Pact

# Dr. Harisingh Gour Vishwavidyalaya, Sagar (M.P.)

## (A Central University)

between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

### Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Suppliers / Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, UNIVERSITY.

### Article 7- Other Provisions

1. This Pact is subject to Indian Law, place of performance and jurisdiction is the **Head quarters of the Division** of the Principal / Owner, who has floated the Tender.
2. Changes and supplements need to be made in writing. Side agreement shave not been made.
3. If the Suppliers is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
4. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement/Pact, any action taken by the Owner/Principal in accordance with this **Integrity Agreement/ Pact or interpretation** there of shall not be subject to arbitration.

### Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender / Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Bidder/Suppliers)

(For and on behalf of Bidder/ Suppliers)

WITNESSES:

1. (Signature, name and address)

2. (Signature, name and address)

Place :

Date :